# BEST AVAILABLE COPY

#### L.C. BEGIN & ASSOCIATES, PLLC

Intellectual Property Causes 510 Highland Avenue, PMB 403 Milford, Michigan 48381-1586 staff@beginlaw.com

Facsimile (248) 887-7664

Telephone (248) 889-5875

FACSIMILE COVER SHEET

RECEIVED
CENTRAL FAX CENTER

TO: USPI O

3616 ART UNIT

JAN 0 9 2006

FIRM:

FAX NO.: 571-273- 8300

FROM:L.C. Begin & Associates, PLLC

DATE: 1/9/06

We are transmitting  $\frac{57}{1}$  pages, including this cover sheet. If this transmission is not complete, please contact Gail Boes at (248) 889-5875.

PRIVILEGED AND CONFIDENTIAL: The information contained in this transmission is intended only for the use of the addressee(s) named above. If the reader of this message is not the named addressee, or the addressee's agent or employee responsible for delivering the message to the addressee(s), please note that any dissemination, distribution or copying of this communication is strictly prohibited. Anyone who teceives this communication in error should notify us immediately by e-mail, and delete the contents of this message and any and all attachments thereto.

# REGEIVED CENTRAL FAX CENTER 2002

JAN 0 9 2006

	BINED TRAN EALS AND II	SMITTAL OF APPEA NTERFERENCES & F UNDER 37 C.F.R. 1.	Docket No. 5702-00068								
In Re Application Of: Takashi Furasawa et al											
Appli	cation No.	Filing Date	Examiner	Customer No.	Group Art Unit	Confirmation No.					
10,	/762,709	1/22/05	David R. Dunn	46510	3616	5208					
Invention: Airbag Release Aid											
COMMISSIONER FOR PATENTS:  This is a samplined Transmitted of Assaul Brief to the Road of Patent Appeals and Interferences and patition under											
This is a combined Transmittal of Appeal Brief to the Board of Patent Appeals and Interferences and petition under the provisions of 37 CFR 1.136(a) to extend the period for filing an Appeal Brief.											
Applicant(s) hereby request(s) an extension of time of (check desired time period):  ☐ One month ☐ Two months ☑ Three months ☐ Four months ☐ Five months											
1	from:	October 8, 2005	until:		ry 9, 2006						
		The fee for the Appeal Brief and Extension of Time has been calculated as shown below:  Fee for Appeal Brief: \$500.00									
			Fee for Extension of Tim	e: \$1,02	0,00						
TOTA	L FEE FOR	APPEAL BRIEF AND	Fee for Extension of Time	9: \$1,02 \$1,52							
				\$1,52							
The fe		eal Brief and extension	EXTENSION OF TIME:	\$1,52 llows:	0.00	ed.					
The fe	ee for the App	eal Brief and extension	extension of time: on of time is to be paid as for the Appeal Brief	\$1,52 llows: and extension	0.00	ed.					
The fe	ee for the App check in the clease charge The Director i	eal Brief and extension amount of Deposit Account No. s hereby authorized to	extension of time: on of time is to be paid as for the Appeal Brief	\$1,52 llows: and extension of the powing fees asso	0.00 of time is enclos	ed.					
The fe	ee for the App check in the Please charge The Director i communication	eal Brief and extension amount of Deposit Account No. s hereby authorized to on or credit any overpa	extension of time:  on of time is to be paid as for the Appeal Brief  in the am o charge payment of the follo	\$1,52 llows: and extension of count of owing fees asso No. 50-3238	0.00 of time is enclos clated with this						
The fe	ee for the App check in the Please charge The Director if communication Any addi Any pate	eal Brief and extension amount of a Deposit Account No. Is hereby authorized to on or credit any overpational filing fees required application process.	for the Appeal Brief in the am charge payment of the followyment to Deposit Account Notes and a charge of the followyment and charge for the followyment to Deposit Account Notes and a charge for the followyment to Deposit Account Notes and a charge for the followyment to Deposit Account Notes and a charge for the followyment to Deposit Account Notes and a charge for the followyment to Deposit Account Notes and a charge for the followyment to Deposit Account Notes and a charge for the followyment and a charge for the follow	\$1,52 llows: and extension of count of cowing fees asson to . 50-3238 01/10/200 02 FC:125	o,00 of time is enclos ciated with this 6 TL0111 00000	034 10762709 1020.00 OP					

JAN 0 9 2006

	SMITTAL OF APPI NTERFERENCES & UNDER 37 C.F.R.	Docket No. 5702-90068										
' In Re Application Of: Takashi Ferasawa et al												
Application No.	Filing Date	Examiner		Customer No.	Group Art Unit	Confirmation No.						
10/762,709	1/22/05	David R. Dunn		46510	3616	5208						
Invention: Airba	g Release Aid											
To THE COMMISSIONER FOR PATENTS:  This combined Transmittal of Appeal Brief to the Board of Patent Appeals and Interferences and petition for extension of time under 37 CFR 1.136(a) is respectfully submitted by the undersigned:  Dated: January 9, 2006  Laurence C. Begin Reg. No. 42,310  L.C. begin & Associates, PLLC  S10 Highland Avenue  PMB 403  Milford, Michigan 48381												
I certify that the account is bein Patent and Trade (Fax no. 571-  1/9/06  (Date)  7) ped or in this certifica	te of Transmission be document and authorizate facesimile transmitted temark Office 273-8300 ) on Signature  Laurence C. Begin Printed Name of Person Signature temay only be used int CREDIT CARD	tion to charge deposit to the United States	with the as first of for Pater CFR 1.8	certify that this of United States Postass mail in an envioles, P.O. Box 1450 (a)] on (Date)  Signature of Person	ate of Mailing correspondence is be tal Service with suffi elope addressed to "o Alexandria, VA 22	icient postage Commissioner 313-1450" [37						

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED CENTRAL FAX CENTER

JAN 0 9 2006

Group Art Unit 3616 Examiner David R. Dunn

TAKASI FURUSAWA, et al.

APPEAL BRIEF

Serial No. 10/762,709

Filed January 22, 2004

For: AIRBAG RELEASE AID/

January 9, 2006

Box AF Assistant Commissioner of Patents Washington, D.C. 20231

Sir:

This is an appeal from the final rejection of claims 1 and 4-6 set forth in the office action mailed April 7, 2005. Concurrently herewith, Applicants petition for a three-month extension of time for the period of response and include the appropriate fee.

#### (1) Real Party of Interest:

The real party of interest in this appeal is Automotive Systems

Laboratory, Inc., a Michigan corporation, the owner of the subject application by assignment.

#### (2) Related Appeals and Interferences:

There are presently no other appeals and/or interferences known to appellant, appellant's legal representative, or assignee which will directly affect or be directly affected by the Board's decision in the pending appeal.

01/10/2006 TL0111 00000034 10762709

01 FC:1402

500.00 OP

Atty. Dkt. No. 5702-00068

#### (3) Status of Claims:

Claims 1 and 4-6 are pending and stand finally rejected in an Office Action dated April 7, 2006 (Paper #20050331).

#### (4) Status of Amendments:

No Amendment was filed After the Final Rejection.

#### (5) Summary of the Invention:

In accordance with the present invention, a gas generator or airbag inflator contains a plurality of beads containing gel and water disposed around a propellant chamber of a conventional gas inflator. The plurality of beads operates, in conjunction with a primary expanded metal filter, as a secondary filter and heat sink, and, as an airbag release agent. By cooling the propellant combustion gases in stages and providing sufficient residence time within the generator, the CO and NO equilibrium conditions are shifted to relatively low, acceptable, CO and NO concentrations. At the same time, humidification or introduction of water vapor (released from the gelatin/water matrix) to substantially filtered combustion products reduces the pressure required to release and inflate an airbag in fluid communication with the inflator.

As claimed in claim 1, the present invention includes a method of improving inflation of an airbag by first substantially filtering combustion gases (to remove the solids) and thereby form filtered combustion products. Next, the filtered combustion products are humidified and then routed into an airbag. Humidification <u>after</u> the filtration step ensures that the filter is not blocked by dampened slag or solids thereby interrupting the gas flow into the bag. Furthermore, staged cooling of the gases prior to humidification optimizes the oxidation of gases not desired in the effluent.

Stated another way, and as claimed in claim 6, the present invention includes adding water to filtered combustion products and routing the filtered and then humidified combustion products into an airbag to improve the inflation of the airbag with a reduced amount of pressure.

· 01/09/2006 23:31 FAX 12488877664

Atty. Dkt. No. 5702-00068

#### (6) Issues:

Did the Examiner err in finally rejecting claims 1 and 4-6 as being unpatentable over Lohr (U.S. Patent No. 3,711,115) in view of Kirchoff et al. (U.S. Patent No. 3,972,545) under 35 U.S.C. §103(a)?

#### (7) Grouping of Claims:

Claims 1 and 4-6 stand together as being rejected for the same reasons.

#### (8) Argument:

The basic reference applied against claims 1 and 4-6, namely U.S. Patent No. 3,711,115 to Lohr does not respond to the positive limitations of claims 1 and 6, and all claims dependent thereon. Lohr does describe an inflator for vehicle gas bags, but filtration is not considered. In fact the design of Lohr, as described below inherently teaches away from the filters of Kirchoff.

Applicant respectfully submits that the rejection of claims 1 and 4-6 under 35 U.S.C. 103(a) should be withdrawn because a prima facie case for the obviousness of claim 1 has not been established. Specifically, there is no suggestion or motivation, either in the references or in the knowledge generally available to one of ordinary skill in the art, to combine the teachings of Lohr '115 and Kirchoff et al. '545 to provide method steps of "humidifying the filtered combustion products to form humidified filtered combustion products" and "routing the humidified filtered combustion products into the airbag", as recited in claim 1.

The cited references do not, either alone or in combination, show or suggest any relationship between the addition of water to the combustion products after combustion, and after the filtration of the combustion products. In the cited references, both the use of filters (in Kirchoff et al. '545) and the addition of water (in Lohr '115) are directed to cooling the gases prior to injection of the gases into an airbag. In Lohr '115, water is added to combustion gases for cooling the gases prior to injection of the gases into an airbag. No

Attv. Dkt. No. 5702-00068

filtration of the gases is disclosed, either prior to or after addition of the water to the gases. Therefore, there is no teaching or suggestion in Lohr '115 regarding filtration of combustion products either before of after humidification of the combustion products. Kirchoff et al. '545 is silent as to the addition of water to the combustion products, either before or after filtration. Therefore, there is no teaching or suggestion in Kirchoff et al. '545 regarding filtration of combustion products either before of after humidification of the combustion products. Thus, neither of the cited references, alone or in combination, show nor suggest any relationship between the addition of water to the combustion products after combustion, and the filtration of the combustion products.

Also as stated above, Kirchoff et al. '545 is silent as to the addition of water to combustion products either before or after filtration. However, Lohr '115 teaches the addition of water to combustions gases without prior filtration of the gases. Lohr '115 also teaches the routing of unfiltered combustion products into the airbag. Therefore, Lohr '115 teaches against filtration of combustion products prior to the addition of water, and against the routing of humidified filtered combustion products into the airbag, as disclosed in the present application.

It should further be noted that the gas generator of Kirchoff employs a filter 22 prior to treatment of the gases neutralizing material 26. However, the same material is also used to cool the gases thereafter. Note that in column 3, lines 9-34, Kirchoff indicates that the same material of filter 22 is used after treatment of the gases as the gases pass through section 30 for cooling. Kirchoff does not suggest an alternative to cooling the gases, as they are essentially further filtered/cooled <u>after treatment</u> within the pH neutralizing material, in contravention of the present invention. Without any suggestion of the generic nature of treatment by Lohr or Kirchoff, the examiner also equates the treatment of the gases by pH in Kirchoff with the humidification of the gases in the present invention. There is simply no substantive evidence in the references to support this assertion by the examiner.

Atty. Dkt. No. 5702-00068

Finally, from a pragmatic standpoint, the filter of Kirchoff simply would not be added to the inflator of Lohr, for the engineering considerations of Lohr would prohibit this. Kirchoff describes a filter 22 that provides filtration of gas flowing longitudinally from the combustion chamber (s). The filter 22 of Kirchoff simply would not be employed within the inflator of Lohr given that combustion gases (for inflation of an airbag) produced therein initially flow radially inward into passage 26, not in an initial longitudinal path as provided in Kirchoff. The combustion gases of Lohr then flow longitudinally through passage 26 as described at column 9, lines 43-58 for example. Accordingly, the filter 22 of Kirchoff would provide very little filtration of the combustion gases (perhaps filtration of gases ultimately flowing into chamber 40), that are used to inflate the airbag. If the filter 22 of Kirchoff was employed, it will be appreciated that "hot gases" would be filtered, but they would also be relatively cooled as they pass through the filter. This contravenes the theory of operation provided by Lohr.

In addition to the desorbing and dehydrating effect of reduced pressures, a limited number of holes 42 disposed in the fireproof wall 44, separating the second combustion state 28, or downstream stage in the case of a gas generator having more than two stages, and the water removal means 38, provide the means for a small percentage of the gas generated in compartment 21 to flow into the water removal means compartment 40. This gas flow is indicated by the arrows 37. The gas 37 heats the particles 41. Of course, the gas flowing through the nozzle 46 also indirectly heat the particles 41. The effect of temperature increase on desorption and dehydration is the same as that of reduced pressure. Thus, the combined effect of increased temperature and decreased pressure is the liberation of most of the water held by the water removal means 38. See Column 9, line 59 through Column 10, line 7 and Figure 1 of Lohr.

Accordingly, the addition of a filter 22 as described by Kirchoff within the generator 2 of Lohr, would inhibit water vapor 50 production by reducing the temperature of the gases flowing into chamber 40. Accordingly, less water vapor would be produced for cooling of gases flowing through conduit 26 and for inflation of an airbag associated therewith.

Atty. Dkt. No. 5702-00068

It will also be appreciated that longitudinal traverse of the gases flowing through conduit 26 also contributes to water vapor production 50 within chamber 40. As the gases 36 are throttled at a narrowing portion in conduit 26 that is radially inward of chamber 40, the water stored within material 41 is liberated due to a pressure drop created at the venturi defined by the narrowing portion of conduit 26. The water vapor 50 is then combined with gases 36 flowing through conduit 26. Accordingly, any filtration of these gases flowing through conduit 26 would affect the pressure balance established through conduit 26 and also through the narrowing portion. The humidification of the gases 36 within conduit 26 would arguably be adversely affected by a change in the pressure differential that might be caused by filtering the gases prior to humidification in the narrowing portion of conduit 26.

Accordingly, from a design perspective, one of ordinary skill in the art would likely not include a filter 22 of Kirchoff within the generator 2 of Lohr, for it would contravene the purposes of the design of the generator 2. Stated another way, Lohr teaches away from the inclusion of the filter 22 because of the method of humidification described. A reference cannot suggest an invention and at the same time teach away from the invention. The examiner is advised that a prima facie case of obviousness cannot be supported when a reference teaches away from the present invention. Furthermore, for the reasons stated above, the design of the inflator of Lohr certainly would not result in the requisite suggestion or motivation to either directly or implicitly motivate one of ordinary skill in the art to include the filter 22 of Kirchoff in the generator 2 of Lohr.

For the reasons set forth above, there is no suggestion or motivation, either in the references or in the knowledge generally available to one of ordinary skill in the art, to combine the teachings of Lohr '115 and Kirchoff et al. '545 to provide method steps of "humidifying the filtered combustion products to form humidified filtered combustion products" and "routing the humidified filtered combustion products into the airbag", as recited in claim 1.

Atty. Dkt. No. 5702-00068

The examiner asserts that the test for combining references is what the combination of disclosures taken as a whole would suggest to one of ordinary skill in the art, In re McLaughlin. Further, the examiner indicates that references are properly evaluated by what they suggest to one of ordinary skill in the art, not by their specific disclosures, In Re Bozek. Applicants respectfully disagree with the examiner's conclusion and would direct the examiner to more controlling cases.

First, "The level of skill in the art cannot be relied upon to provide the suggestion to combine references." Al-Site Corp. v. VSI Int'l Inc., 174 F.3d 1308, 50 USPQ2d 1161 (Fed. Circ. 1999).

Next, "The teaching or suggestion to make the claimed combination and the reasonable expectation of success must both be found in the prior art, and not based on applicant's disclosure". In re Vaeck, 947 F.2d 488, 20 USPQ2d 1438 (Fed. Cir. 1991). It would appear that the examiner, with the benefit of the present application, exercised impermissible hindsight reconstruction, particularly in view of the art cited. For the particular sequence of filtering and then humidifying the combustion gases is not disclosed in the art. Nor is there any suggestion in the references to modify the inflators of any of the respective designs to accommodate the problem of the present invention; that is to provide lubricity to the airbag without agglomerating the moisture within combustion solids within the filter. None of the references cited by the examiner enable the present sequence or approach, nor do they recognize the present problem. As such, they cannot when taken alone or in combination with each other of present or suggest a solution to the same when viewed by one of ordinary skill in the art. In essence, one of ordinary skill in the art would not consult these references for they focus on problems and solutions not particular to the present invention or problem.

Further, "A statement that modifications of the prior art to meet the claimed invention would have been "well within the ordinary skill of the art at the time the claimed invention was made" because the references relied upon teach that all aspects of the claimed invention were individually known in the art

Atty. Dkt. No. 5702-00068

is not sufficient to establish a prima facie case of obviousness without some objective reason to combine the teachings of the references." Ex parte Levengood, 28 USPQ2d 1300 (Bd. Pat. App. & Inter. 1993). The examiner has not provided an objective reason to combine the references.

In sum, none of the references when taken alone or when taken together suggest or describe the present invention. Stated another way, for the reasons given, a prima facie case of obviousness cannot be supported by references that teach away from the present invention, nor can it be supported without the requisite showing of a motivation to combine the references.

The examiner is advised that if the proposed modification or combination of the prior art would change the principle of operation of the prior art invention being modified, then the teachings of the references are not sufficient to render the claims prima facie obvious. *In re Ratti*, 270 F.2d 810, 123 USPQ 349 (CCPA 1959). Filtering the effluent of Lohr prior to humidification would reduce the temperature of the gases, i.e. change the principle of operation, thereby inhibiting the ability of the gases to draw the moisture from the chamber 40 as they pass therethrough, and thereby inhibit the cooling of the gases.

The examiner is further advised that it is improper to combine references where the references teach away from their combination. *In re Grasselli*, 713 F.2d 731, 743, 218 USPQ 769, 779 (Fed. Cir. 1983).

#### (9) Conclusion:

For the above-stated reasons, the examiner has simply not met the burden of substantiating a prima facie case of obviousness relative to claims 1 and 4-6. Most importantly, the design of the inflator of Lohr teaches away from adding a filter that would function as a heat sink prior of the gases prior to the addition of the moisture. Accordingly, neither Lohr nor Kirchoff, either taken alone or together suggest a combination of the features of the respective inventions for the reasons stated. The requisite suggestion or motivation to

Atty. Dkt. No. 5702-00068

combine the references is therefore lacking. Accordingly, reversal of the Examiner's rejection of claims 1 and 4-6 under 35 U.S.C. §103, and issuance of the present application is courteously solicited.

Applicants have calculated a fee of \$500.00 for the appeal brief and \$1020.00 for a three-month extension of time in connection with this brief. Our credit card authorization sheet is enclosed authorizing the amount of \$1,520.00. The Commissioner is hereby authorized to charge any additional fees incident to the filing of this communication to Deposit Account No. 50-3238. A duplicate copy of the front page of this document is enclosed. Applicants have faxed three copies of this appeal brief pursuant to 37 C.F.R. 1.192.

L.C. Begin & Associates, PLLC 510 Highland Avenue PMB 403 Milford, Michigan 48381-1586 LCB/

Respectfully submitted,

Laurence C. Begin Reg. No. 42310

Phone (248) 889-5875 FAX (248) 887-7664

Atty. Dkt. No. 5702-00068

#### (10) Appendix - Claims 1 and 4-6:

- (original and pending) A method of improving inflation of an airbag comprising the steps of:
  - igniting a gas generant composition within a gas generator to form combustion products;
  - at least substantially filtering the combustion products to form filtered combustion products;
  - humidifying the filtered combustion products to form humidified filtered combustion products; and

routing the humidified filtered combustion products into the airbag.

- (cancelled) The method of claim 1 wherein said humidifying step 2. comprises passing the filtered combustion products over a bed of hydrated gelatin to form humidified filtered combustion products.
- (cancelled) The method of claim 1 wherein said humidifying step 3. comprises routing the filtered combustion products into an airbag coated with gelatin to form humidified filtered combustion products.
- (pending and previously presented) The method of claim 1 wherein 4. said humidifying step further comprises combining the filtered combustion

Atty. Dkt. No. 5702-00068

products with about 1.0 moles of water for each mole of gas generant combusted.

- 5. (pending and previously presented) The method of claim 1 wherein said humidifying step further comprises combining the filtered combustion products with about 1.0 moles of water for each mole of gas generant combusted.
- 6. (pending and previously presented) A method of reducing an amount of fluid pressure required to release and inflate an airbag comprising the steps of:
   adding an amount of water to filtered combustion products resulting from combustion of a gas generant composition, thereby forming humidified filtered combustion products; and routing the humidified combustion products into an opening leading into the airbag, thereby reducing the resistance of the airbag to inflation and correspondingly reducing the amount of pressure required to inflate the airbag.

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED CENTRAL FAX CENTER

JAN 0 9 2006

Group Art Unit 3616
Examiner David R. Dunn

TAKASI FURUSAWA, et al.

**APPEAL BRIEF** 

Serial No. 10/762,709

Filed January 22, 2004

For: AIRBAG RELEASE AID/

January 9, 2006

Box AF Assistant Commissioner of Patents Washington, D.C. 20231

Sir:

This is an appeal from the final rejection of claims 1 and 4-6 set forth in the office action mailed April 7, 2005. Concurrently herewith, Applicants petition for a three-month extension of time for the period of response and include the appropriate fee.

#### (1) Real Party of Interest:

The real party of interest in this appeal is Automotive Systems

Laboratory, Inc., a Michigan corporation, the owner of the subject application by assignment.

#### (2) Related Appeals and Interferences:

There are presently no other appeals and/or interferences known to appellant, appellant's legal representative, or assignee which will directly affect or be directly affected by the Board's decision in the pending appeal.

Atty. Dkt. No. 5702-00068

#### (3) Status of Claims:

Claims 1 and 4-6 are pending and stand finally rejected in an Office Action dated April 7, 2006 (Paper #20050331).

#### (4) Status of Amendments:

No Amendment was filed After the Final Rejection.

#### (5) Summary of the Invention:

In accordance with the present invention, a gas generator or airbag inflator contains a plurality of beads containing gel and water disposed around a propellant chamber of a conventional gas inflator. The plurality of beads operates, in conjunction with a primary expanded metal filter, as a secondary filter and heat sink, and, as an airbag release agent. By cooling the propellant combustion gases in stages and providing sufficient residence time within the generator, the CO and NO equilibrium conditions are shifted to relatively low, acceptable, CO and NO concentrations. At the same time, humidification or introduction of water vapor (released from the gelatin/water matrix) to substantially filtered combustion products reduces the pressure required to release and inflate an airbag in fluid communication with the inflator.

As claimed in claim 1, the present invention includes a method of improving inflation of an airbag by first substantially filtering combustion gases (to remove the solids) and thereby form filtered combustion products. Next, the filtered combustion products are humidified and then routed into an airbag. Humidification <u>after</u> the filtration step ensures that the filter is not blocked by dampened slag or solids thereby interrupting the gas flow into the bag. Furthermore, staged cooling of the gases prior to humidification optimizes the oxidation of gases not desired in the effluent.

Stated another way, and as claimed in claim 6, the present invention includes adding water to filtered combustion products and routing the filtered and then humidified combustion products into an airbag to improve the inflation of the airbag with a reduced amount of pressure.

Atty. Dkt. No. 5702-00068

#### (6) Issues:

Did the Examiner err in finally rejecting claims 1 and 4-6 as being unpatentable over Lohr (U.S. Patent No. 3,711,115) in view of Kirchoff et al. (U.S. Patent No. 3,972,545) under 35 U.S.C. §103(a)?

#### (7) Grouping of Claims:

Claims 1 and 4-6 stand together as being rejected for the same reasons.

#### (8) Argument:

The basic reference applied against claims 1 and 4-6, namely U.S. Patent No. 3,711,115 to Lohr does not respond to the positive limitations of claims 1 and 6, and all claims dependent thereon. Lohr does describe an inflator for vehicle gas bags, but filtration is not considered. In fact the design of Lohr, as described below inherently teaches away from the filters of Kirchoff.

Applicant respectfully submits that the rejection of claims 1 and 4-6 under 35 U.S.C. 103(a) should be withdrawn because a prima facie case for the obviousness of claim 1 has not been established. Specifically, there is no suggestion or motivation, either in the references or in the knowledge generally available to one of ordinary skill in the art, to combine the teachings of Lohr '115 and Kirchoff et al. '545 to provide method steps of "humidifying the filtered combustion products to form humidified filtered combustion products" and "routing the humidified filtered combustion products into the airbag", as recited in claim 1.

The cited references do not, either alone or in combination, show or suggest any relationship between the addition of water to the combustion products after combustion, and after the filtration of the combustion products. In the cited references, both the use of filters (in Kirchoff et al. '545) and the addition of water (in Lohr '115) are directed to cooling the gases prior to injection of the gases into an airbag. In Lohr '115, water is added to combustion gases for cooling the gases prior to injection of the gases into an airbag. No

Atty. Dkt. No. 5702-00068

filtration of the gases is disclosed, either prior to or after addition of the water to the gases. Therefore, there is no teaching or suggestion in Lohr '115 regarding filtration of combustion products either before of after humidification of the combustion products. Kirchoff et al. '545 is silent as to the addition of water to the combustion products, either before or after filtration. Therefore, there is no teaching or suggestion in Kirchoff et al. '545 regarding filtration of combustion products either before of after humidification of the combustion products. Thus, neither of the cited references, alone or in combination, show nor suggest any relationship between the addition of water to the combustion products after combustion, and the filtration of the combustion products.

Also as stated above, Kirchoff et al. '545 is silent as to the addition of water to combustion products either before or after filtration. However, Lohr '115 teaches the addition of water to combustions gases without prior filtration of the gases. Lohr '115 also teaches the routing of unfiltered combustion products into the airbag. Therefore, Lohr '115 teaches against filtration of combustion products prior to the addition of water, and against the routing of humidified filtered combustion products into the airbag, as disclosed in the present application.

It should further be noted that the gas generator of Kirchoff employs a filter 22 prior to treatment of the gases neutralizing material 26. However, the same material is also used to cool the gases thereafter. Note that in column 3, lines 9-34, Kirchoff indicates that the same material of filter 22 is used after treatment of the gases as the gases pass through section 30 for cooling. Kirchoff does not suggest an alternative to cooling the gases, as they are essentially further filtered/cooled after treatment within the pH neutralizing material, in contravention of the present invention. Without any suggestion of the generic nature of treatment by Lohr or Kirchoff, the examiner also equates the treatment of the gases by pH in Kirchoff with the humidification of the gases in the present invention. There is simply no substantive evidence in the references to support this assertion by the examiner.

Atty. Dkt. No. 5702-00068

Finally, from a pragmatic standpoint, the filter of Kirchoff simply would not be added to the inflator of Lohr, for the engineering considerations of Lohr would prohibit this. Kirchoff describes a filter 22 that provides filtration of gas flowing longitudinally from the combustion chamber (s). The filter 22 of Kirchoff simply would not be employed within the inflator of Lohr given that combustion gases (for inflation of an airbag) produced therein initially flow radially inward into passage 26, not in an initial longitudinal path as provided in Kirchoff. The combustion gases of Lohr then flow longitudinally through passage 26 as described at column 9, lines 43-58 for example. Accordingly, the filter 22 of Kirchoff would provide very little filtration of the combustion gases (perhaps filtration of gases ultimately flowing into chamber 40), that are used to inflate the airbag. If the filter 22 of Kirchoff was employed, it will be appreciated that "hot gases" would be filtered, but they would also be relatively cooled as they pass through the filter. This contravenes the theory of operation provided by Lohr.

In addition to the desorbing and dehydrating effect of reduced pressures, a limited number of holes 42 disposed in the fireproof wall 44, separating the second combustion state 28, or downstream stage in the case of a gas generator having more than two stages, and the water removal means 38, provide the means for a small percentage of the gas generated in compartment 21 to flow into the water removal means compartment 40. This gas flow is indicated by the arrows 37. The gas 37 heats the particles 41. Of course, the gas flowing through the nozzle 46 also indirectly heat the particles 41. The effect of temperature increase on desorption and dehydration is the same as that of reduced pressure. Thus, the combined effect of increased temperature and decreased pressure is the liberation of most of the water held by the water removal means 38. See Column 9, line 59 through Column 10, line 7 and Figure 1 of Lohr.

Accordingly, the addition of a filter 22 as described by Kirchoff within the generator 2 of Lohr, would inhibit water vapor 50 production by reducing the temperature of the gases flowing into chamber 40. Accordingly, less water vapor would be produced for cooling of gases flowing through conduit 26 and for inflation of an airbag associated therewith.

Atty. Dkt. No. 5702-00068

It will also be appreciated that longitudinal traverse of the gases flowing through conduit 26 also contributes to water vapor production 50 within chamber 40. As the gases 36 are throttled at a narrowing portion in conduit 26 that is radially inward of chamber 40, the water stored within material 41 is liberated due to a pressure drop created at the venturi defined by the narrowing portion of conduit 26. The water vapor 50 is then combined with gases 36 flowing through conduit 26. Accordingly, any filtration of these gases flowing through conduit 26 would affect the pressure balance established through conduit 26 and also through the narrowing portion. The humidification of the gases 36 within conduit 26 would arguably be adversely affected by a change in the pressure differential that might be caused by filtering the gases prior to humidification in the narrowing portion of conduit 26.

Accordingly, from a design perspective, one of ordinary skill in the art would likely not include a filter 22 of Kirchoff within the generator 2 of Lohr, for it would contravene the purposes of the design of the generator 2. Stated another way, Lohr teaches away from the inclusion of the filter 22 because of the method of humidification described. A reference cannot suggest an invention and at the same time teach away from the invention. The examiner is advised that a prima facie case of obviousness cannot be supported when a reference teaches away from the present invention. Furthermore, for the reasons stated above, the design of the inflator of Lohr certainly would not result in the requisite suggestion or motivation to either directly or implicitly motivate one of ordinary skill in the art to include the filter 22 of Kirchoff in the generator 2 of Lohr.

For the reasons set forth above, there is no suggestion or motivation, either in the references or in the knowledge generally available to one of ordinary skill in the art, to combine the teachings of Lohr '115 and Kirchoff et al. '545 to provide method steps of "humidifying the filtered combustion products to form humidified filtered combustion products" and "routing the humidified filtered combustion products into the airbag", as recited in claim 1.

Atty. Dkt. No. 5702-00068

The examiner asserts that the test for combining references is what the combination of disclosures taken as a whole would suggest to one of ordinary skill in the art, in re McLaughlin. Further, the examiner indicates that references are properly evaluated by what they suggest to one of ordinary skill in the art, not by their specific disclosures, in Re Bozek. Applicants respectfully disagree with the examiner's conclusion and would direct the examiner to more controlling cases.

First, "The level of skill in the art cannot be relied upon to provide the suggestion to combine references." Al-Site Corp. v. VSI Int'l Inc., 174 F.3d 1308, 50 USPQ2d 1161 (Fed. Circ. 1999).

Next, "The teaching or suggestion to make the claimed combination and the reasonable expectation of success must both be found in the prior art, and not based on applicant's disclosure". In re Vaeck, 947 F.2d 488, 20 USPQ2d 1438 (Fed. Cir. 1991). It would appear that the examiner, with the benefit of the present application, exercised impermissible hindsight reconstruction, particularly in view of the art cited. For the particular sequence of filtering and then humidifying the combustion gases is not disclosed in the art. Nor is there any suggestion in the references to modify the inflators of any of the respective designs to accommodate the problem of the present invention; that is to provide lubricity to the airbag without agglomerating the moisture within combustion solids within the filter. None of the references cited by the examiner enable the present sequence or approach, nor do they recognize the present problem. As such, they cannot when taken alone or in combination with each other of present or suggest a solution to the same when viewed by one of ordinary skill in the art. In essence, one of ordinary skill in the art would not consult these references for they focus on problems and solutions not particular to the present invention or problem.

Further, "A statement that modifications of the prior art to meet the claimed invention would have been "well within the ordinary skill of the art at the time the claimed invention was made" because the references relied upon teach that all aspects of the claimed invention were individually known in the art

Atty. Dkt. No. 5702-00068

is not sufficient to establish a prima facie case of obviousness without some objective reason to combine the teachings of the references." Ex parte Levengood, 28 USPQ2d 1300 (Bd. Pat. App. & Inter. 1993). The examiner has not provided an objective reason to combine the references.

In sum, none of the references when taken alone or when taken together suggest or describe the present invention. Stated another way, for the reasons given, a prima facie case of obviousness cannot be supported by references that teach away from the present invention, nor can it be supported without the requisite showing of a motivation to combine the references.

The examiner is advised that if the proposed modification or combination of the prior art would change the principle of operation of the prior art invention being modified, then the teachings of the references are not sufficient to render the claims prima facie obvious. *In re Ratti*, 270 F.2d 810, 123 USPQ 349 (CCPA 1959). Filtering the effluent of Lohr prior to humidification would reduce the temperature of the gases, i.e. change the principle of operation, thereby inhibiting the ability of the gases to draw the moisture from the chamber 40 as they pass therethrough, and thereby inhibit the cooling of the gases.

The examiner is further advised that it is improper to combine references where the references teach away from their combination. *In re Grasselli*, 713 F.2d 731, 743, 218 USPQ 769, 779 (Fed. Cir. 1983).

#### (9) Conclusion:

For the above-stated reasons, the examiner has simply not met the burden of substantiating a prima facie case of obviousness relative to claims 1 and 4-6. Most importantly, the design of the inflator of Lohr teaches away from adding a filter that would function as a heat sink prior of the gases prior to the addition of the moisture. Accordingly, neither Lohr nor Kirchoff, either taken alone or together suggest a combination of the features of the respective inventions for the reasons stated. The requisite suggestion or motivation to

Atty. Dkt. No. 5702-00068

combine the references is therefore lacking. Accordingly, reversal of the Examiner's rejection of claims 1 and 4-6 under 35 U.S.C. §103, and issuance of the present application is courteously solicited.

Applicants have calculated a fee of \$500.00 for the appeal brief and \$1020.00 for a three-month extension of time in connection with this brief. Our credit card authorization sheet is enclosed authorizing the amount of \$1,520.00. The Commissioner is hereby authorized to charge any additional fees incident to the filing of this communication to Deposit Account No. 50-3238. A duplicate copy of the front page of this document is enclosed. Applicants have faxed three copies of this appeal brief pursuant to 37 C.F.R. 1.192.

Date 1/9/06

L.C. Begin & Associates, PLLC 510 Highland Avenue PMB 403 Milford, Michigan 48381-1586 LCB/ Respectfully submitted,

Laurence C. Begin Reg. No. 42310

Phone (248) 889-5875 FAX (248) 887-7664

Atty. Dkt. No. 5702-00068

#### (10) Appendix - Claims 1 and 4-6:

- 1. (original and pending) A method of improving inflation of an airbag comprising the steps of:
  - igniting a gas generant composition within a gas generator to form combustion products;
  - at least substantially filtering the combustion products to form filtered combustion products;
  - humidifying the filtered combustion products to form humidified filtered combustion products; and

routing the humidified filtered combustion products into the airbag.

- (cancelled) The method of claim 1 wherein said humidifying step comprises passing the filtered combustion products over a bed of hydrated gelatin to form humidified filtered combustion products.
- (cancelled) The method of claim 1 wherein said humidifying step comprises routing the filtered combustion products into an airbag coated with gelatin to form humidified filtered combustion products.
- 4. (pending and previously presented) The method of claim 1 wherein said humidifying step further comprises combining the filtered combustion

Atty. Dkt. No. 5702-00068

Serial No. 10/762,709 Appeal Brief

products with about 1.0 moles of water for each mole of gas generant combusted.

- 5. (pending and previously presented) The method of claim 1 wherein said humidifying step further comprises combining the filtered combustion products with about 1.0 moles of water for each mole of gas generant combusted.
- 6. (pending and previously presented) A method of reducing an amount of fluid pressure required to release and inflate an airbag comprising the steps of: adding an amount of water to filtered combustion products resulting from combustion of a gas generant composition, thereby forming humidified filtered combustion products; and routing the humidified combustion products into an opening leading into the airbag, thereby reducing the resistance of the airbag to inflation and correspondingly reducing the amount of pressure required to inflate the airbag.

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Group Art Unit 3616 Examiner David R. Dunn

TAKASI FURUSAWA, et al.

APPEAL BRIEF

Serial No. 10/762,709

Filed January 22, 2004

For: AIRBAG RELEASE AID/

January 9, 2006

Box AF Assistant Commissioner of Patents Washington, D.C. 20231

Sir:

This is an appeal from the final rejection of claims 1 and 4-6 set forth in the office action mailed April 7, 2005. Concurrently herewith, Applicants petition for a three-month extension of time for the period of response and include the appropriate fee.

#### (1) Real Party of Interest:

The real party of interest in this appeal is Automotive Systems

Laboratory, Inc., a Michigan corporation, the owner of the subject application by assignment.

#### (2) Related Appeals and Interferences:

There are presently no other appeals and/or interferences known to appellant, appellant's legal representative, or assignee which will directly affect or be directly affected by the Board's decision in the pending appeal.

Atty. Dkt. No. 5702-00068

#### (3) Status of Claims:

Claims 1 and 4-6 are pending and stand finally rejected in an Office Action dated April 7, 2006 (Paper #20050331).

#### (4) Status of Amendments:

No Amendment was filed After the Final Rejection.

#### (5) Summary of the Invention:

In accordance with the present invention, a gas generator or airbag inflator contains a plurality of beads containing gel and water disposed around a propellant chamber of a conventional gas inflator. The plurality of beads operates, in conjunction with a primary expanded metal filter, as a secondary filter and heat sink, and, as an airbag release agent. By cooling the propellant combustion gases in stages and providing sufficient residence time within the generator, the CO and NO equilibrium conditions are shifted to relatively low, acceptable, CO and NO concentrations. At the same time, humidification or introduction of water vapor (released from the gelatin/water matrix) to substantially filtered combustion products reduces the pressure required to release and inflate an airbag in fluid communication with the inflator.

As claimed in claim 1, the present invention includes a method of improving inflation of an airbag by first substantially filtering combustion gases (to remove the solids) and thereby form filtered combustion products. Next, the filtered combustion products are humidified and then routed into an airbag. Humidification <u>after</u> the filtration step ensures that the filter is not blocked by dampened slag or solids thereby interrupting the gas flow into the bag. Furthermore, staged cooling of the gases prior to humidification optimizes the oxidation of gases not desired in the effluent.

Stated another way, and as claimed in claim 6, the present invention includes adding water to filtered combustion products and routing the filtered and then humidified combustion products into an airbag to improve the inflation of the airbag with a reduced amount of pressure.

Atty. Dkt. No. 5702-00068

#### (6) Issues:

Did the Examiner err in finally rejecting claims 1 and 4-6 as being unpatentable over Lohr (U.S. Patent No. 3,711,115) in view of Kirchoff et al. (U.S. Patent No. 3,972,545) under 35 U.S.C. §103(a)?

#### (7) Grouping of Claims:

Claims 1 and 4-6 stand together as being rejected for the same reasons.

#### (8) Argument:

The basic reference applied against claims 1 and 4-6, namely U.S. Patent No. 3,711,115 to Lohr does not respond to the positive limitations of claims 1 and 6, and all claims dependent thereon. Lohr does describe an inflator for vehicle gas bags, but filtration is not considered. In fact the design of Lohr, as described below inherently teaches away from the filters of Kirchoff.

Applicant respectfully submits that the rejection of claims 1 and 4-6 under 35 U.S.C. 103(a) should be withdrawn because a prima facie case for the obviousness of claim 1 has not been established. Specifically, there is no suggestion or motivation, either in the references or in the knowledge generally available to one of ordinary skill in the art, to combine the teachings of Lohr '115 and Kirchoff et al. '545 to provide method steps of "humidifying the filtered combustion products to form humidified filtered combustion products" and "routing the humidified filtered combustion products into the airbag", as recited in claim 1.

The cited references do not, either alone or in combination, show or suggest any relationship between the addition of water to the combustion products after combustion, and after the filtration of the combustion products. In the cited references, both the use of filters (in Kirchoff et al. '545) and the addition of water (in Lohr '115) are directed to cooling the gases prior to injection of the gases into an airbag. In Lohr '115, water is added to combustion gases for cooling the gases prior to injection of the gases into an airbag. No

Atty. Dkt. No. 5702-00068

filtration of the gases is disclosed, either prior to or after addition of the water to the gases. Therefore, there is no teaching or suggestion in Lohr '115 regarding filtration of combustion products either before of after humidification of the combustion products. Kirchoff et al. '545 is silent as to the addition of water to the combustion products, either before or after filtration. Therefore, there is no teaching or suggestion in Kirchoff et al. '545 regarding filtration of combustion products either before of after humidification of the combustion products. Thus, neither of the cited references, alone or in combination, show nor suggest any relationship between the addition of water to the combustion products after combustion, and the filtration of the combustion products.

Also as stated above, Kirchoff et al. '545 is silent as to the addition of water to combustion products either before or after filtration. However, Lohr '115 teaches the addition of water to combustions gases without prior filtration of the gases. Lohr '115 also teaches the routing of unfiltered combustion products into the airbag. Therefore, Lohr '115 teaches against filtration of combustion products prior to the addition of water, and against the routing of humidified filtered combustion products into the airbag, as disclosed in the present application.

It should further be noted that the gas generator of Kirchoff employs a filter 22 prior to treatment of the gases neutralizing material 26. However, the same material is also used to cool the gases thereafter. Note that in column 3, lines 9-34, Kirchoff indicates that the same material of filter 22 is used after treatment of the gases as the gases pass through section 30 for cooling. Kirchoff does not suggest an alternative to cooling the gases, as they are essentially further filtered/cooled <u>after treatment</u> within the pH neutralizing material, in contravention of the present invention. Without any suggestion of the generic nature of treatment by Lohr or Kirchoff, the examiner also equates the treatment of the gases by pH in Kirchoff with the humidification of the gases in the present invention. There is simply no substantive evidence in the references to support this assertion by the examiner.

Atty. Dkt. No. 5702-00068

Finally, from a pragmatic standpoint, the filter of Kirchoff simply would not be added to the inflator of Lohr, for the engineering considerations of Lohr would prohibit this. Kirchoff describes a filter 22 that provides filtration of gas flowing longitudinally from the combustion chamber (s). The filter 22 of Kirchoff simply would not be employed within the inflator of Lohr given that combustion gases (for inflation of an airbag) produced therein initially flow radially inward into passage 26, not in an initial longitudinal path as provided in Kirchoff. The combustion gases of Lohr then flow longitudinally through passage 26 as described at column 9, lines 43-58 for example. Accordingly, the filter 22 of Kirchoff would provide very little filtration of the combustion gases (perhaps filtration of gases ultimately flowing into chamber 40), that are used to inflate the airbag. If the filter 22 of Kirchoff was employed, it will be appreciated that "hot gases" would be filtered, but they would also be relatively cooled as they pass through the filter. This contravenes the theory of operation provided by Lohr.

In addition to the desorbing and dehydrating effect of reduced pressures, a limited number of holes 42 disposed in the fireproof wall 44, separating the second combustion state 28, or downstream stage in the case of a gas generator having more than two stages, and the water removal means 38, provide the means for a small percentage of the gas generated in compartment 21 to flow into the water removal means compartment 40. This gas flow is indicated by the arrows 37. The gas 37 heats the particles 41. Of course, the gas flowing through the nozzle 46 also indirectly heat the particles 41. The effect of temperature increase on desorption and dehydration is the same as that of reduced pressure. Thus, the combined effect of increased temperature and decreased pressure is the liberation of most of the water held by the water removal means 38. See Column 9, line 59 through Column 10, line 7 and Figure 1 of Lohr.

Accordingly, the addition of a filter 22 as described by Kirchoff within the generator 2 of Lohr, would inhibit water vapor 50 production by reducing the temperature of the gases flowing into chamber 40. Accordingly, less water vapor would be produced for cooling of gases flowing through conduit 26 and for inflation of an airbag associated therewith.

Atty. Dkt. No. 5702-00068

It will also be appreciated that longitudinal traverse of the gases flowing through conduit 26 also contributes to water vapor production 50 within chamber 40. As the gases 36 are throttled at a narrowing portion in conduit 26 that is radially inward of chamber 40, the water stored within material 41 is liberated due to a pressure drop created at the venturi defined by the narrowing portion of conduit 26. The water vapor 50 is then combined with gases 36 flowing through conduit 26. Accordingly, any filtration of these gases flowing through conduit 26 would affect the pressure balance established through conduit 26 and also through the narrowing portion. The humidification of the gases 36 within conduit 26 would arguably be adversely affected by a change in the pressure differential that might be caused by filtering the gases prior to humidification in the narrowing portion of conduit 26.

Accordingly, from a design perspective, one of ordinary skill in the art would likely not include a filter 22 of Kirchoff within the generator 2 of Lohr, for it would contravene the purposes of the design of the generator 2. Stated another way, Lohr teaches away from the inclusion of the filter 22 because of the method of humidification described. A reference cannot suggest an invention and at the same time teach away from the invention. The examiner is advised that a prima facie case of obviousness cannot be supported when a reference teaches away from the present invention. Furthermore, for the reasons stated above, the design of the inflator of Lohr certainly would not result in the requisite suggestion or motivation to either directly or implicitly motivate one of ordinary skill in the art to include the filter 22 of Kirchoff in the generator 2 of Lohr.

For the reasons set forth above, there is no suggestion or motivation, either in the references or in the knowledge generally available to one of ordinary skill in the art, to combine the teachings of Lohr '115 and Kirchoff et al. '545 to provide method steps of "humidifying the filtered combustion products to form humidified filtered combustion products" and "routing the humidified filtered combustion products into the airbag", as recited in claim 1.

Atty. Dkt. No. 5702-00068

The examiner asserts that the test for combining references is what the combination of disclosures taken as a whole would suggest to one of ordinary skill in the art, In re McLaughlin. Further, the examiner indicates that references are properly evaluated by what they suggest to one of ordinary skill in the art, not by their specific disclosures, In Re Bozek. Applicants respectfully disagree with the examiner's conclusion and would direct the examiner to more controlling cases.

First, "The level of skill in the art cannot be relied upon to provide the suggestion to combine references." Al-Site Corp. v. VSI Int'l Inc., 174 F.3d 1308, 50 USPQ2d 1161 (Fed. Circ. 1999).

Next, "The teaching or suggestion to make the claimed combination and the reasonable expectation of success must both be found in the prior art, and not based on applicant's disclosure". In re Vaeck, 947 F.2d 488, 20 USPQ2d 1438 (Fed. Cir. 1991). It would appear that the examiner, with the benefit of the present application, exercised impermissible hindsight reconstruction, particularly in view of the art cited. For the particular sequence of filtering and then humidifying the combustion gases is not disclosed in the art. Nor is there any suggestion in the references to modify the inflators of any of the respective designs to accommodate the problem of the present invention; that is to provide lubricity to the airbag without agglomerating the moisture within combustion solids within the filter. None of the references cited by the examiner enable the present sequence or approach, nor do they recognize the present problem. As such, they cannot when taken alone or in combination with each other of present or suggest a solution to the same when viewed by one of ordinary skill in the art. In essence, one of ordinary skill in the art would not consult these references for they focus on problems and solutions not particular to the present invention or problem.

Further, "A statement that modifications of the prior art to meet the claimed invention would have been "well within the ordinary skill of the art at the time the claimed invention was made" because the references relied upon teach that all aspects of the claimed invention were individually known in the art

Atty. Dkt. No. 5702-00068

is not sufficient to establish a prima facie case of obviousness without some objective reason to combine the teachings of the references." Ex parte Levengood, 28 USPQ2d 1300 (Bd. Pat. App. & Inter. 1993). The examiner has not provided an objective reason to combine the references.

In sum, none of the references when taken alone or when taken together suggest or describe the present invention. Stated another way, for the reasons given, a prima facie case of obviousness cannot be supported by references that teach away from the present invention, nor can it be supported without the requisite showing of a motivation to combine the references.

The examiner is advised that if the proposed modification or combination of the prior art would change the principle of operation of the prior art invention being modified, then the teachings of the references are not sufficient to render the claims prima facie obvious. *In re Ratti*, 270 F.2d 810, 123 USPQ 349 (CCPA 1959). Filtering the effluent of Lohr prior to humidification would reduce the temperature of the gases, i.e. change the principle of operation, thereby inhibiting the ability of the gases to draw the moisture from the chamber 40 as they pass therethrough, and thereby inhibit the cooling of the gases.

The examiner is further advised that it is improper to combine references where the references teach away from their combination. *In re Grasselli*, 713 F.2d 731, 743, 218 USPQ 769, 779 (Fed. Cir. 1983).

#### (9) Conclusion:

For the above-stated reasons, the examiner has simply not met the burden of substantiating a prima facie case of obviousness relative to claims 1 and 4-6. Most importantly, the design of the inflator of Lohr teaches away from adding a filter that would function as a heat sink prior of the gases prior to the addition of the moisture. Accordingly, neither Lohr nor Kirchoff, either taken alone or together suggest a combination of the features of the respective inventions for the reasons stated. The requisite suggestion or motivation to

Atty. Dkt. No. 5702-00068

combine the references is therefore lacking. Accordingly, reversal of the Examiner's rejection of claims 1 and 4-6 under 35 U.S.C. §103, and issuance of the present application is courteously solicited.

Applicants have calculated a fee of \$500.00 for the appeal brief and \$1020.00 for a three-month extension of time in connection with this brief. Our credit card authorization sheet is enclosed authorizing the amount of \$1,520.00. The Commissioner is hereby authorized to charge any additional fees incident to the filing of this communication to Deposit Account No. 50-3238. A duplicate copy of the front page of this document is enclosed. Applicants have faxed three copies of this appeal brief pursuant to 37 C.F.R. 1.192.

Date 1/9/06

L.C. Begin & Associates, PLLC 510 Highland Avenue PMB 403 Milford, Michigan 48381-1586 LCB/ Respectfully submitted,

Laurence C. Begin Reg. No. 42310

Phone (248) 889-5875 FAX (248) 887-7664

Atty. Dkt. No. 5702-00068

#### (10) Appendix - Claims 1 and 4-6:

- (original and pending) A method of improving inflation of an airbag comprising the steps of:
  - igniting a gas generant composition within a gas generator to form combustion products;
  - at least substantially filtering the combustion products to form filtered combustion products;
  - humidifying the filtered combustion products to form humidified filtered combustion products; and

routing the humidified filtered combustion products into the airbag.

- (cancelled) The method of claim 1 wherein said humidifying step comprises passing the filtered combustion products over a bed of hydrated gelatin to form humidified filtered combustion products.
- (cancelled) The method of claim 1 wherein said humidifying step comprises routing the filtered combustion products into an airbag coated with gelatin to form humidified filtered combustion products.
- 4. (pending and previously presented) The method of claim 1 wherein said humidifying step further comprises combining the filtered combustion

Atty. Dkt. No. 5702-00068

products with about 1.0 moles of water for each mole of gas generant combusted.

- 5. (pending and previously presented) The method of claim 1 wherein said humidifying step further comprises combining the filtered combustion products with about 1.0 moles of water for each mole of ges generant combusted.
- 6. (pending and previously presented) A method of reducing an amount of fluid pressure required to release and inflate an airbag comprising the steps of: adding an amount of water to filtered combustion products resulting from combustion of a gas generant composition, thereby forming humidified filtered combustion products; and routing the humidified combustion products into an opening leading into the airbag, thereby reducing the resistance of the airbag to inflation and correspondingly reducing the amount of pressure required to inflate the airbag.

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

#### IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.